

Copper and copper-base alloys									
Type / code		Covered electrodes							
		2.0926	2.1025	2.1368					
Filler metal		EL-CuAl9	EL-CuSn7	EL-CuMn14Al	EL-NiCu30Mn				
		CARBO ALBRO AC	CARBO ZIBRO 6 AC	CARBOTRODE Mn-S	CARBOWELD 190				
Base metal									
2.0220	CuZn5								
2.0230	CuZn10								
2.0240	CuZn15								
2.0241	G-CuZn15								
2.0250	CuZn20								
2.0261	CuZn28								
2.0265	CuZn30								
2.0280	CuZn33								
2.0321	CuZn37								
2.0335	CuZn36								
2.0360	CuZn40								
2.0460	CuZn20Al2								
2.0470	CuZn28Sn1								
2.0490	CuZn31Si1								
2.0492	G-CuZn15Si4								
2.0510	CuZn37Al1								
2.0530	CuZn38Sn1								
2.0540	CuZn35Ni2								
2.0550	CuZn40Al2								
2.0572	CuZn40Mn2								
2.0590	G-CuZn40Fe								
2.0592	G-CuZn35Al1								
2.0596	G-CuZn34Al2								
2.0598	G-CuZn25Al5								
2.0730	CuNi12Zn24						●		
2.0740	CuNi18Zn20						●		
2.0815	G-CuNi10						●		
2.0830	CuNi25						●		
2.0835	G-CuNi30						●		
2.0842	CuNi44Mn1						●		
2.0872	CuNi10Fe1Mn						●		
2.0882	CuNi30Mn1Fe						●		
2.0890	CuNi30Mn						●		
2.0916	CuAl5	●							
2.0920	CuAl8	●							
2.0928	G-CuAl9	●							
2.0960	CuAl9Mn2						●		
2.0962	G-CuAl8Mn						●		
2.0966	CuAl10Ni5Fe4						●		
2.0970	G-CuAl9Ni						●		
2.0971	CuAl9Ni3Fe2						●		
2.0975	G-CuAl10Ni						●		
2.0978	CuAl11Ni6Fe5						●		
2.0980	G-CuAl11Ni						●		
2.1010	CuSn2		●						
2.1016	CuSn4		●						
2.1020	CuSn6		●						
2.1030	CuSn8		●						
2.1050	G-CuSn10		◆						
2.1052	G-CuSn12		◆						
2.1056	G-CuSn14		◆						
2.1060	G-CuSn12Ni		◆						
2.1080	CuSn6Zn6		◆						
2.1086	G-CuSn10Zn		◆						
2.1090	G-CuSn7ZnPb		◆						
2.1093	G-CuSn6ZnNi		◆						
2.1096	G-CuSn5ZnPb		◆						

- suitable, similar type ○ suitable, compatible type
- ◆ suitable, take account to corrosion resistance